





WÖHLER A 450 FLUE GAS ANALYZER

Compact, rugged, loaded with smart functions.

Wöhler A 450 Flue Gas Analyzer

The new compact class - robust and smart

This is where Wöhler excels: A reasonably priced flue gas analyzer that offers all measurement and tuning functions. A small and lightweight flue gas analyzer enclosed in an eye-catching, robust housing. The Wöhler A 450 is a handheld device with a user friendly touchscreen. Simply display all measurement data on the large screen, or connect the device and view the results on your mobile devices.

Compact with a full range of functions

The Wöhler A 450 is a robust measuring device that combines solid workmanship with a clear color display. All measured values are displayed clearly at a glance. The Wöhler A 450 is a well rounded tool that offers measurements such as flue gas analysis, draft measurement, burner tuning guide, adjustment tasks on gas and oil systems and even solid fuel fireplaces. Typical Wöhler.

In true Wöhler fashion, the device is compact and lightweight by design and is guaranteed to be user friendly. Intuitively easy to use: The menu consists of icons similar to that known from smartphones. The user simply taps an icon to open the individual menu items.

Smart functions

In addition to the user-friendly convenience of the touchscreen the Wöhler A 450 also offers the advantages that smart devices provide: You are able to transmit all measurement data to a mobile devices (smart-phones, tablets by Android and iOS) per Wireless LAN. These devices can then display the measurements as numerical values or as a graph in the Wöhler A 450 app. The app gives technicians the option of reading measurements already taken and also the ability to take new measurements through the app. This proves to be particularly practical when measuring at spots with poor accessibility. The measurement data can be saved in different formats and and can be sent to the customer by email.



- Switch on read off done
- Rugged and compact analyzer that offers all measurement and tuning functions
- ▶ High-resolution 5" color touchscreen: 14 measured values available at a glance
- Future-proof network connectivity with Wireless LAN
- Wöhler A 450 app included for Android and iOS

48 Wöhler A 450 / 450 H: see our Terms and Con A 450 L: 24 months; V e information please s ller A . more i



5" large color touchscreen All measured values available at a glance thanks to high-resolution display.



All values at a glance The tuning guide offers an advanced guidance to the technician to properly adjust the burner.



Easy maintenance Condensate trap can easily be pulled out to change cotton wool and water stop filters.

Wöhler A 450 App (Android & iOS) Displaying the measured data on a mobile device.



Interface to the printer Printout of the measured data on site.



Perfect size Compact and light in a plastic case.

X Application

- Residential flue gas analysis
- Service and maintenance tasks
- Determine flue gas loss and burner tuning
- Immission control measurements (1st BImSchV)
- NO measurement (optional)
- Differential pressure / gas pressure measurement

O Functionality

- ▶ Simple to use: Switch on read off done
- ► Large 5" color touchscreen: Displays up to 14 measurement readings
- Intuitive to operate via on-screen keyboard
- Graphic hotspot search

Safety / Reliability

- ▶ 24 or 48 months guarantee without maintenance agreement¹
- Effective condensate protection
- Multistage filter technology incl. water stop filter
- Electronic filter monitor with illuminated condensate trap
- Analyzer and sensor diagnostics
- Field replaceable sensors user-friendly
- Rechargeable battery operating time: up to 17 h with lithium ion power
- Hose assembly robust and flexible

Data management


- Store up to 1.000 customer records
- Data transmission by USB, Wireless LAN or infrared
- Wöhler A 450 app included


TUV test registered for 1st BImSchV (German Federal Immission Control Act and KÜO (German sweeping and inspection ordinance), for oil or gas firing installations to VDI 4206 Part 1 and DIN EN 50379 Part 2

¹⁾ Wöhler A 450 L: 24 months; Wöhler A 450 / 450 H: 48 months; excludes thermocouples, rechargeable battery and optional NO sensor. For more information please see our Terms and Conditions.

Technical	data

Sensors	up to 3		
	02	021 %	
	COv	05.000 Vol. ppm	
		010.000 Vol. ppm	
		010.000 Vol. ppm, H ₂ compensated	
		0100.000 Vol. ppm	
	NOv	03.000 Vol. ppm	
Power supply	Wöhler A 450 L: Lithium-Ion, rechargeable battery 3,7 V, 2.250 mAh, charges via USB Wöhler A 450 / A 450 H: Lithium-Ion, recharge- able battery 6,7 V, 2.250 mAh, charges via USB		
Battery operating time	Wöhler A 450 L: Approx. 6 h Wöhler A 450 / A 450 H: Approx. 17 h (depends on operating status and display illumination)		
Weight	620 g (with NO sensor included)		
		be found under com/P_16430.dl	






Do you prefer to do everything with your smartphone or tablet? Then the Wöhler A 450 App is exactly the right choice for your measuring and adjustment work. No matter if you are using an Android or iOS device.



. measurement data to the customer at a glance

- Remote control of measurements at locations where access is difficult
- Direct Wireless LAN connection to the smart device – future-proof connectivity
- Data can be sent from smartphone / tablet by email



Product features



Applications (depends on accessories)	Wöhler A 450 L Flue Gas Analyzer 5.000 ppm	Wöhler A 450 L Flue Gas Analyzer 100.000 ppm	Wöhler A 450 Flue Gas Analyzer 10.000 ppm	Wöhler A 450 H Flue Gas Analyzer 10.000 ppm
Setting tasks gas / oil systems				
Burner adjustment assistant				
Possible sensors	3	3	3	3
Functionality				
5" color touchscreen				
1.000 measurement data sets				
Wireless LAN				
USB & infrared				•
Reliability				
Warranty	24 months	24 months	48 months	48 months
Device sensor diagnostics				
Sensor replacement				
Visual filter monitor				
Rechargeable lithium ion battery	up to 6 h operating time	up to 6 h operating time	up to 17 h operating time	up to 17 h operating time
Scope of delivery				
CO sensor	5.000 ppm	100.000 ppm	10.000 ppm	10.000 ppm (H₂ compensated)
O2 sensor	021 %	021 %	021 %	021 %
NO sensor	optional 3.000 ppm	optional 3.000 ppm	optional 3.000 ppm	optional 3.000 ppm
USB battery charger				


• = included | optional = retrofit or upgrade ex works, contact us

Detachable probe 295 mm with 1,5 m hose

.

.

Basic sets











		Wöhler A 450 L Flue Gas Analyzer 5.000 ppm CO	Wöhler A 450 L Flue Gas Analyzer 5.000 ppm CO 3.000 ppm NO	Wöhler A 450 L Flue Gas Analyzer 100.000 ppm CO	Wöhler A 450 L Flue Gas Analyzer 100.000 ppm CO 3.000 ppm NO
Scope of	Wöhler A 450 L Flue Gas Analyzer				
delivery	5.000 ppm CO sensor				
	100.000 ppm CO sensor				
	3.000 ppm NO sensor				
	Flue Gas Probe 250 mm with 1,5 m hose assembly				
	Wireless LAN, USB and IR interfaces		•	•	•
	USB battery charger with micro USB cable				
	Rechargeable Lithium-Ion battery, 3,6 V / 2.250 mAh				
	Cotton filters (25 pieces)				
	Article n	o. 4503 J	4703 J	4672 J	4979 J







Wöhler A 450 Flue Gas Analyzer 10.000 ppm CO

Wöhler A 450 H Flue Gas Analyzer 10.000 ppm CO (H2 compensated) Wöhler A 450 Flue Gas Analyzer 10.000 ppm CO 3.000 ppm NO


Wöhler A 450 H Flue Gas Analyzer 10.000 ppm CO (H₂ compensated) 3.000 ppm NO

					3.000 ppm NO
Scope of delivery	Wöhler A 450 Flue Gas Analyzer				
	Wöhler A 450 H Flue Gas Analyzer				
	10.000 ppm CO sensor (H2 compensated)				
	10.000 ppm CO sensor				
	3.000 ppm NO sensor				
	Wireless LAN, USB and IR interfaces				
	Detachable Probe 295 mm with 1,5 m hose assembly				
	USB battery charger with micro USB cable				
	Rechargeable Lithium-Ion battery, 3,6 V / 6.700 mAh				
	Cotton filters (25 pieces)				
	Article no.	6342 J	6467 J	8878 J	8879 J

A



Acces	sories		women	WÖHLER	WOHLER O
			Accessory kit Fix Probe	Accessory kit Modular Probe	Accessory kit Professional
Scope of delivery	Plastic Case MIDI for model with fix probe for Wöhler A 450 L	S			
	Plastic Case MAXI for all mo with fix or modular probe for Wöhler A 450 / 450 H	odels			
	Clamping cone stainless ste	el			
	PTFE Cone				
	Air Temperature Probe 220 with 1,8 m hose assembly	mm			
	Wöhler TD 100 Thermal Fas	t Printer			
	Thermal Paper (10 rolls)				
		Article no.	8880 J	8881 J	8886 J
Further acces	Wöhler TD 100 Th		r er and four batteries		4160 I
	Thermal Paper for Wöhler TD 100				4145
	10 rolls				
80	Water Stop Filters pack with 3 pieces				9621 K
12	Coarse Filters pack with 5 pieces				9632 K
- AST	Wadding filters pack with 150 piece	es			4288 K
(Air Temperature P 220 mm with 1,8 m				6545 J
	PC-Software Wöh Languages EN / FF for online measurer	1 / IT / CZ / NL / CI	N Ictions and export to MS Excel		4499 J















 \cdot = included

Order Form

Product	Article no.	Qty.

Notes

Billing address / customer	Delivery address (if different to billing address)
Company	Company
Name	Name
Street / house no.	Street / house no.
ZIP code / City	ZIP code / City
Country	Country
Telephone	Fax
Mobile	E-Mail
Customer number	
Date	Signature or company stamp

Your contact



Wöhler Technik GmbH Headquarters Germany Wöhler-Platz 1 · 33181 Bad Wünnenberg www.woehler-international.com